Please write clearly ir	n block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

GCSE COMBINED SCIENCE: TRILOGY

Foundation Tier Physics Paper 1F

Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).


Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
TOTAL		





A student investigated electrical circuits.


The student built a circuit with three resistors in series.


0 1.1


0 1


Which circuit diagram shows a circuit containing three resistors in series?

Tick (\checkmark) **one** box.










(1)



The table below shows the student's results.


Number of resistors	Total resistance in ohms
1	2.2
2	4.4
3	6.6
4	8.8
5	11.0
6	13.2

0 1.4

Complete the graph below using data from the table.

You should:

- plot the rest of the results
- draw a line of best fit.




Do not write outside the box

0 1. ⁵	The student concluded that there was a linear relationship between resistance and the number of resistors.	Do not write outside the
	How do the results support this conclusion?	box
		(1)
0 1.6	The student could have connected the resistors in parallel instead of in series.	
	How would the total resistance of three resistors in parallel compare with the total resistance of three resistors in series?	
	Tick (✓) one box.	
	Higher	
	Lower	
	The same	
		(1)
01.7	The figure below shows how electrical power is transferred from power stations to consumers using the National Grid.	
	Transmission cables	
Po	wer station Transformer 1 Transformer 2 House	
	Transformer 1 is a step-up transformer.	
	Explain why step-up transformers are used in the National Grid.	
		(3)



(1)




Complete the sentence. Choose answers from the box.		[2 marks]
		[2 marks]
chemical		
Chemical	nuclear	kinetic
elastic potential		gravitational potential
Between positions A and B the	athlete speeds up.	There is
an increase in the athlete's		energy and
a decrease in the athlete's		store of energy.
Between positions B and C the	athlete jumps to the	pole and climbs up it.
	hange in the athlete's	
Tick (✓) one box.		[1 mark]
Elastic potential energy decrea	ses.	
Elastic potential energy increas	es.	
Gravitational potential energy c	lecreases.	
Gravitational potential energy in	ncreases.	
Question 2 cor	tinues on the next j	page
	Between positions A and B the an increase in the athlete's a decrease in the athlete's Between positions B and C the Which statement describes a cl positions B and C ? Tick (✓) one box. Elastic potential energy decrea Elastic potential energy increas Gravitational potential energy d	Between positions A and B the athlete speeds up. an increase in the athlete's a decrease in the athlete's Between positions B and C the athlete jumps to the Which statement describes a change in the athlete's positions B and C ?



		Do not write
02.3	The pole falls over from position ${f C}$. The athlete lets go of the pole and lands at position ${f D}$.	outside the box
	The change in height of the athlete between positions C and D is 3.0 m.	
	mass of athlete = 50 kg	
	gravitational field strength = 9.8 N/kg	
	Calculate the change in gravitational potential energy of the athlete between positions ${f C}$ and ${f D}$.	
	Use the equation:	
	change in gravitational potential energy = mass × gravitational field strength × change in height	
	[2 marks]	
	Change in gravitational potential energy =J	

02.4	The kinetic energy of the ath	nlete at position D is 1600 J.		Do not write outside the box
0 2 . 4	mass of athlete = 50 kg			
	Calculate the speed of the a	thlete at position D .		
	Use the equation:			
		speed = $\sqrt{\frac{2 \times \text{kinetic energy}}{\text{mass}}}$		
	Choose the unit from the bo	x.	[3 marl	<s]< th=""></s]<>
	m/s	J/kg	J/s	
		Speed =	Unit	
	Question 2 c	continues on the next page		
			Turn ove	r ►





0 2 . 6	Athletes have a large power	output when they are far-lea	aping.	Do not outsid bo
	What is meant by the power			
	Tick (✓) one box.		[1 mark]	
	The rate at which the athlete	e transfers energy.		
	The size of the maximum for	rce exerted by the athlete.		
	The total energy transferred	by the athlete.		
0 2 . 7	A second athlete crossed the	e same river by far-leaping.		
	The second athlete had less position A and position B .	s power than the first athlete	when running between	
	Complete the sentences.			
	Choose answers from the bo	ox.		
	Each answer may be used o	once, more than once or not	at all. [2 marks]	
	less than	the same as	more than	
	Two factors that could expla the first athlete are:	in why the second athlete ha	ad less power than	
	1. The time taken by the second athlete to run between position ${f A}$ and position ${f B}$			
	was the first athlete.			
	2. The work done by the set	cond athlete was		
	the first athlete.			



0 3	A filament lamp breaks if the electric current in the filament becomes too big.		Do not write outside the box
0 3.1	What is the correct symbol for a filament lamp?	[1 mork]	
	Tick (✓) one box.	[1 mark]	
03.2	What is meant by an electric current?	[1 mark]	
	Tick (✓) one box.		
	The energy carried by each unit of charge		
	The flow of electrical charge		
	The number of electrons in a circuit		
	The speed at which charge moves		


		_
	A manufacturer investigated the maximum current value of some filament lamps.	Do not wi outside ti box
03.3	Figure 6 shows the symbols for an ammeter, a battery and a variable resistor.	
	Figure 6	
	Ammeter Battery Variable resistor	
	The manufacturer connected an ammeter, battery, filament lamp and variable resistor in series.	
	Draw a circuit diagram to show the manufacturer's circuit.	
	Include the symbol for a filament lamp from Question 03.1 [1 mark]	
0 3 4	How could the manufacturer increase the current in the filament lamp?	
	[1 mark] Tick (✓) one box.	
	Add an extra ammeter to the circuit.	
	Decrease the resistance of the variable resistor.	
	Use a battery with a smaller potential difference.	



03.5	When the potential difference across a filament lamp was 0.75 V, the current in the filament lamp was 0.16 A.	Do not write outside the box
	Calculate the power of the filament lamp.	
	Use the equation:	
	power = potential difference × current [2 marks]	
	Power =W	
03.6	Write down the equation which links charge flow (<i>Q</i>), current (<i>I</i>) and time (<i>t</i>). [1 mark]	
	Calculate the charge flow through the filament lamp in 15 s. [3 marks]	
	Charge flow =C	

03.8	The manufacturer increased the current in the filament lamp from 200 mA.	Do not write outside the box
	The filament in the lamp broke when the current reached 320 mA.	
	How many times greater than 200 mA was the current at which the filament broke? [1 mark]	
	times greater	
03.9	The manufacturer tested lots of filament lamps. The current at which the filament lamps broke was 320 ± 60 mA.	
	What is the range of currents at which the filament lamps broke? [1 mark] Tick (✓) one box.	
	60 mA to 320 mA	
	320 mA to 380 mA 260 mA to 380 mA	12
	Turn over for the next question	







		D
	Solar water heaters use radiation from the Sun to heat water.	0
	The heated water is stored in a water tank.	
	Figure 8 shows a solar water heater on the roof of a building.	
	Figure 8	
	Water tank	
04.2	Cities closer to the equator have many more buildings with solar water heaters than cities further away from the equator.	
	Suggest why. [1 mark]	
04.3	The use of solar water heaters may reduce the need to burn fossil fuels. Complete the sentence. Choose the answer from the box.	
	[1 mark]	
	carbon dioxide nitrogen oxygen	
	Burning fossil fuels contributes to global warming because there is an increase in the amount of in the atmosphere.	

		Do not write
04.4	The efficiency of the solar water heater is 0.61	outside the box
	Calculate the useful power output when the total power input to the solar water heater is 1100 W.	
	Use the equation:	
	useful power output = efficiency × total power input [2 marks]	
	Useful power output =W	
04.5	Different solar water heaters have different sized heating panels. Suggest how the size of the heating panels affects the input power to a solar water heater. [1 mark]	
04.6	Water has a high specific heat capacity.	
	What is meant by the specific heat capacity of water? [1 mark] Tick (✓) one box.	
	The energy required to change the state of 1 kg of water from liquid to gas.	
	The energy required to increase the temperature of 1 kg of water by 1 °C.	
	The power required to change the state of 1 kg of water from liquid to gas.	
	The power required to increase the temperature of 1 kg of water by 1 °C.	

04.7	The water tank contained 80 kg of water.	Do not write outside the box
	The change in thermal energy of the water was 8 400 000 J.	
	specific heat capacity of water = 4200 J/kg °C	
	Calculate the temperature change of the water.	
	Use the Physics Equations Sheet. [3 marks]	
	Temperature change =°C	
04.8	The water tank is thermally insulated. How does thermal insulation affect the rate of energy transfer from the water in the tank?	
	Tick (✓) one box.	
	Thermal insulation decreases the rate of energy transfer.	
	Thermal insulation does not change the rate of energy transfer.	
	Thermal insulation increases the rate of energy transfer.	
	Question 4 continues on the next page	









			Do not writ
0 5.2	The current in the electronic circuit in the mobile phone was 0.12 A.		Do not write outside the box
	The potential difference across the battery was 3.9 V.		
	Calculate the resistance of the electronic circuit in the mobile phone.	[3 marks]	
		[
	Resistance =	Ω	
		52	

0 5.3	Write down the equation which links energy (E) , power (P) and time (t) .	[1 mark]
0 5.4	The battery was fully charged when it was put into the mobile phone. The battery discharged when the mobile phone was switched on. The average power output of the battery as it discharged was 0.46 watts. The time taken to fully discharge the battery was 2500 minutes. Calculate the energy transferred by the battery.	[3 marks]
	Energy transferred =	J
	Question 5 continues on the next page	
		Turn over Þ



	The mobile phone includes a sensor to monitor the temperature of the battery.	Do not write outside the box
	Figure 10 shows the circuit symbol for a component used in the sensor.	
	Figure 10	
0 5.5	What component does the circuit symbol shown in Figure 10 represent? [1 mark]	
0 5 6	The temperature of the component in Figure 10 increases.	
	The potential difference across the component remains constant.	
	Explain what happens to the current in the component. [2 marks]	
		11

		Do not write
06	A radioactive source emits alpha, beta and gamma radiation.	outside the box
06.1	An alpha particle is the same as a helium nucleus.	
	How many times bigger is the radius of a helium atom than the radius of an alpha particle?	
	Tick (✓) one box. [1 mark]	
	Less than 100 times bigger	
	Exactly 5000 times bigger	
	More than 10 000 times bigger	
06.2	Alpha particles can ionise atoms in the air.	
	What happens to an atom when it is ionised by an alpha particle? [2 marks]	
	Tick (\checkmark) two boxes.	
	A neutron in the atom becomes a proton.	
	The atom becomes a positive ion.	
	The atom gains a neutron.	
	The atom gains a proton.	
	The atom loses an electron.	
	Question 6 continues on the next page	



06.3 A spark detector is a device that can be used to detect alpha radiation.

A spark detector works by alpha particles ionising atoms in the air near a wire mesh.

A large potential difference creates a spark when the air near the wire mesh is ionised.

Suggest why a spark detector **cannot** detect beta radiation.

[1 mark]

Do not write outside the

box

0 6 . 4


A teacher wants to demonstrate that the radioactive source emits alpha, beta and gamma radiation.

Do not write outside the


box

10

Figure 11 shows the equipment the teacher has.







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.