

**1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
1.	(a)		76	3	M1 for $89\% = 68$ M1 for $68 \div 0.89$ (or equivalent) A1 for 76 – 76.41
	(b)		11.8	2	M1 for $(68 - 60) \div 68 \times 100$ (or equivalent) A1for 11.7 – 12
2.		12 are red. $\frac{1}{3}$ are red $12 \times 3 =$  2 blue for 1 red 24 blue for 12 red $24 + 12 =$	36	3	M1 for $P(\text{red}) = \frac{1}{3}$  M1 for $\frac{1}{3} \times 36 = 12$ red or $12 \times 3$  A1 for 36 cao  OR  M1 for 2 blue for 1 red  M1 for 24 blue for 12 red or $24 + 12$  A1 for 36 cao

**1MA1 Practice Papers: Set 2 Regular (3H) mark scheme – Version 1.0**

**1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
3.		No with reason	1	C1 No and e.g, the area of B will be $2^2 = 4$ times greater than the area of A <b>or</b> may use values to give a counter example
4.	$\frac{15}{2} - \frac{14}{3} = \frac{45a}{6a} - \frac{28a}{6a}$	shown	3	M1 Complete improper fractions  M1 Correct fractions with common denominator a multiple of 6  A1 dep on M2. Improper fraction required, e.g. $\frac{17}{6}$ , $\frac{34}{12}$
5.		$t = \frac{7+5g}{3}$	3	M1 expands bracket, e.g.. $5t - 5g = 2t + 7$ <b>or</b> divides all terms by 5 as a first step  M1 isolates terms in $t$ , e.g.. $5t - 2t = 7 + 5g$  A1

**IMA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
6.	$180 \times 365 = 65700$  $65700 \div 1000 = 65.7$  $65.7 \times 91.22 = 5993.154$  $5993.154 \div 100 + 28.20 = 88.13\dots$	Decision  (should have a water meter installed)	5	<p><b>Per year</b></p> <p>M1 for <math>180 \times '365'</math> (= 65700)                      M1 for <math>'65700' \div 1000</math> (= 65.7 or 65 or 66)                      M1 for <math>'65.7' \times 91.22</math> (= 5993...)                      A1 for answer in range (£)87 to (£)89                      C1 (dep on at least M1) for conclusion following from working seen</p> <p><b>OR (per day)</b></p> <p>M1 for <math>107 \div '365'</math> (= 0.293...)                      M1 for <math>180 \div 1000 \times 91.22</math> (= 16.4196)                      M1 for <math>28.2 \div '365' + '0.164196'</math> (units must be consistent)                      A1 for 29 – 30(p) and 24 – 24.3(p) (or equivalent)                      C1 (dep on at least M1) for conclusion following from working seen</p> <p><b>OR</b></p> <p>M1 for <math>(107 - 28.20) \div 0.9122</math> (= 86.384..)                      M1 for <math>'86.384..' \times 1000</math> (= 86384.5...)                      M1 for <math>'365' \times 180</math> (= 65700)                      A1 for 65700 and 86384.5...                      C1 (dep on at least M1) for conclusion following from working seen</p> <p>NB : Allow 365 or 366 or <math>52 \times 7</math> (=364) or <math>12 \times 30</math> (=360) or <math>365\frac{1}{4}</math> for number of days</p>

D	U	C	T
366	65880	6010	88.30
365	65700	5993	88.13
	65000	5929	87.49
	66000	6020	88.40
364	65520	5976	87.96
360	64800	5911	87.31
<del>336</del>	<del>60480</del>	5517	83.37

**1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
7.	$36 \times 4 (=144)$ $176 + 103 + '144' (= 423)$ $15 \times 28 = 420$ Or $'423' \div 28 = 15.107\dots$	No with correct working	4	M1 for $36 \times 4 (= 144)$ M1 for $176 + 103 + '144' (= 423)$ M1 for $28 \times 15$ C1 (dep on at least M2 awarded) for 420 <b>and</b> 423 and 'No she won't have enough' <b>Or</b> M1 for $36 \times 4 (=144)$ M1 for $176 + 103 + '144' (=423)$ M1 for $423 \div 28$ C1 (dep on at least M2 awarded) for 15.10 <b>or</b> 15.11 <b>or</b> 15.107... and 'No she won't have enough'
8.	(a)	$7n - 4$	2	B2 for $7n - 4$ (B1 for $7n + d$ where $d$ is an integer)
	(b)	explanation	2	M1 for ' $7n - 4' = 150$ <b>or</b> any other valid method, e.g. counting on 7s (to get 150) A1 for a complete explanation eg. the 22nd term is 150 or $n = 22$ from solution of equation or a clear demonstration based on 22 or complete sequence

**1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
<b>9.</b>	(a)		6	3	M1 13 or 12.75 (LQ) 19 or 18.25 (UQ) identified from ordered list <b>OR</b> attempt to find IQR eg. 3(rd) and 9(th) seen or 2.75(th) and 8.25(th) seen M1 Identify 13 or 12.75 (LQ), <b>AND</b> 19 or 18.25 (UQ) A1 (accept 5.5)
	(b)		James <b>and</b> reason using IQR	1	B1 ft from (a) James: he has a lower IQR (or equivalent)  (IQR must be part of the statement)
	(c)		no change with reason	1	B1 no change box ticked with reason, e.g. 2 new scores above median and 2 new scores below median <b>or</b> median of 4 numbers is 17

1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
10. (a)	$\frac{1}{2}(3x + 1 + 5x + 3)(2x + 3) =$ $\frac{1}{2}(8x + 4)(2x + 3)$  So, $(4x + 2)(2x + 3) - 46 = 0$  $8x^2 + 16x + 6 - 46 = 0$  $8x^2 + 16x - 40 = 0$  $x^2 + 2x - 5 = 0$	Proof	3	M1 for correct method to find area of trapezium  M1 (dep) for expanding all brackets to get a correct expression for the area  C1 for complete correct proof
(b)	$x = \frac{-2 \pm \sqrt{2^2 - 4(1)(-5)}}{2 \times 1}$  $= \frac{-2 \pm \sqrt{24}}{2}$  <b>OR</b> $(x + 1)^2 - 1^2 - 5$ $= (x + 1)^2 - 6$  $x + 1 = \pm \sqrt{6}$	1.45, -3.45	3	M1 for $\frac{-2 \pm \sqrt{2^2 - 4(1)(-5)}}{2 \times 1}$ condone one sign error in substitution  M1 for $\frac{-2 \pm \sqrt{24}}{2}$  A1 for 1.44 to 1.45 (and -3.44 to -3.45)  <b>OR</b> M1 for $(x + 1)^2 - 1^2 - 5$ (or equivalent)  M1 for $x + 1 = (\pm)\sqrt{6}$  A1 for 1.44 to 1.45 (and -3.44 to -3.45)

**1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
<b>11.</b>	$\sqrt{45^2 + 20^2} = \sqrt{2425} = 49.24\dots$ $\sqrt{30^2 + 20^2} = \sqrt{1300} = 36.05\dots$ $\sqrt{45^2 + 30^2} = \sqrt{2925} = 54.08\dots$ $\sqrt{45^2 + 20^2 + 30^2} = \sqrt{3325}$ $= 57.66281297$ <p><b>OR</b></p> $30^2 + 20^2 + 45^2$ $= 900 + 400 + 2025 = 3325$ $\sqrt{3325} = 57.66281297$	No with working	4	M1 for $45^2 + 20^2$ or $20^2 + 30^2$ or $45^2 + 30^2$  M1 for $\sqrt{45^2 + 20^2}$ , or $\sqrt{20^2 + 30^2}$ or $\sqrt{45^2 + 30^2}$  M1 for $\sqrt{45^2 + 20^2 + 30^2}$ ( $= \sqrt{3325}$ )  C1 for No AND $57.6 - 57.7 < 60$ (or equivalent)  <b>OR</b>  M2 for $30^2 + 20^2 + 45^2$ ( $= 900 + 400 + 2025 = 3325$ )  M1 for $\sqrt{3325}$  C1 for No AND $57.6 - 57.7 < 60$ (or equivalent)
<b>12</b>	$(6.21795 \times 10^{10}) \div$ $510\,072\,000$ $= 121.9(03378\dots)$	$1.22 \times 10^2$	3	M1 for SA Jupiter $\div$ SA Earth  e.g. $(6.21795 \times 10^{10}) \div 510\,072\,000$ (or equivalent), e.g. $62000 \div 51$  or digits 121 .... or digits 122  A1 for 121 – 122  A1 for $1.21 \times 10^2 - 1.22 \times 10^2$

**1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
<b>13.</b>		Yes with appropriate reason	4	<p>M1 for writing <math>l \propto \frac{1}{d^2}</math> or <math>l = \frac{k}{d^2}</math></p> <p>M1 for substituting to find value of <math>k</math> (<math>k = 2500</math>)</p> <p>M1 for substituting 5.4 to get <math>l = \frac{2500}{5.4^2}</math></p> <p><b>or</b> substituting 85 to get <math>85 = \frac{2500}{d^2}</math></p> <p>C1 (Dep on M1 for yes and the number of decibels is 85.7(3...) which is more than 85 <b>or</b> distance is 5.42 m which is more than 5.4 m)</p>
<b>14.</b>	$73 - 26$	47	3	<p>M1 for a complete method</p> <p>A1</p> <p>B1 Alternate segment theorem</p>
<b>15.</b>	$12 \times 20 + 10.8 \times 10 + 7 \times 15 + 5 \times 15 + 1.8 \times 30 + 0.6 \times 30$  $= 240 + 108 + 105 + 75 + 54 + 18$  $= 528 + 72 = 600$	12%	3	<p>M1 for attempt to work out total area (e.g. = 600) or area greater than 60 (e.g. =72) by using fd or counting squares</p> <p>M1 (dep) for <math>\frac{72}{600} \times 100</math> (or equivalent) (= 12)</p> <p>A1 cao (must have % otherwise 2 marks)</p>



1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
16.	$2^2 = \frac{2^x}{(2^3)^y}$ $2^2 = 2^{x-3y}$	$n = 2x - 6y$	3	M1 for writing 8 as $2^3$ or $2^{\frac{n}{2}}$ M1 for $2^{x-3y}$ or $\frac{1}{2}n = x - 3y$ A1 for $n = 2(x - 3y)$ or $n = (x - 3y) \div 0.5$
17.	(a) (b) $\overrightarrow{OP} = \overrightarrow{OA} + \overrightarrow{AP}$ $\overrightarrow{AP} = \frac{3}{4} \times (\mathbf{b} - \mathbf{a})$ $\overrightarrow{OP} = \mathbf{a} + \frac{3}{4} \times (\mathbf{b} - \mathbf{a})$ OR $\overrightarrow{OP} = \overrightarrow{OB} + \overrightarrow{BP}$ $\overrightarrow{BP} = \frac{1}{4} \times (\mathbf{a} - \mathbf{b})$ $\overrightarrow{OP} = \mathbf{b} + \frac{1}{4} \times (\mathbf{a} - \mathbf{b})$	$\mathbf{b} - \mathbf{a}$ $\frac{1}{4}(\mathbf{a} + 3\mathbf{b})$	1 3	B1 for $\mathbf{b} - \mathbf{a}$ or $-\mathbf{a} + \mathbf{b}$ B1 for $\frac{3}{4} \times (\mathbf{b} - \mathbf{a})$ M1 for $(\overrightarrow{OP} =) \overrightarrow{OA} + \overrightarrow{AP}$ or $(\overrightarrow{OP} =) \overrightarrow{OA} + \frac{3}{4}\overrightarrow{AB}$ or $\mathbf{a} \pm \frac{3}{4} \times (\mathbf{b} - \mathbf{a})$ A1 for $\frac{1}{4}(\mathbf{a} + 3\mathbf{b})$ or $\frac{1}{4}\mathbf{a} + \frac{3}{4}\mathbf{b}$ OR B1 for $\frac{1}{4} \times (\mathbf{a} - \mathbf{b})$ M1 for $(\overrightarrow{OP} =) \overrightarrow{OB} + \overrightarrow{BP}$ or $(\overrightarrow{OP} =) \overrightarrow{OB} + \frac{1}{4}\overrightarrow{BA}$ or $\mathbf{b} \pm \frac{1}{4} \times (\mathbf{a} - \mathbf{b})$ A1 for $\frac{1}{4}(\mathbf{a} + 3\mathbf{b})$ or $\frac{1}{4}\mathbf{a} + \frac{3}{4}\mathbf{b}$

1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
18.	$7 = ka^1 ; 175 = ka^3$ $k = \frac{7}{a} , 175 = \frac{7a^3}{a} ,$ $175 = 7a^2$ $a^2 = 25, \text{ so } a = 5, k = 1.4$ <p>Or</p> $7^3 = k^3 a^3, \quad 175 = ka^3$ $k^2 = \frac{7^3}{175}, \quad k = 1.4, \quad a = 5$	$k = 1.4$ $a = 5$	3	<p>M1 either <math>a^2 = 25</math> or <math>7 = ka</math> (or <math>7 = ka^1</math>) and <math>175 = ka^3</math></p> <p>A1 <math>k = 1.4</math> (or equivalent)</p> <p>A1 <math>a = 5</math></p> <p>SC Either <math>a = 5</math> or <math>k = 1.4</math> (or equivalent) gets B2</p>

**1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
19.		Yes with explanation	3	<p>M1 For <b>Line A</b>: writes equation as <math>y = 1.5x + 4</math> or gives the gradient as 1.5 or constant term of 4</p> <p>OR for <b>Line B</b>: shows a method which could lead to finding the gradient or gives the gradient as 2 or constant term of 4 or calculates a sequence of points including (0,4) or writes equation of line as <math>y = 2x + 4</math></p> <p>M1 Shows correct aspects relating to an aspect of Line A and an aspect of Line B that enables some comparison to be made e.g. gradients, equations or points.</p> <p>C1 for gradients 1.5 <b>and 2 and Yes with</b> explanation that the gradients are different or states the lines intersect at (0,4) or explanation that interprets common constant term (4) from equations</p> <p>OR</p> <p>M1 for a diagram that shows both lines drawn and intersecting at (0,4)</p> <p>M1 for a diagram that shows both lines and their intersection point identified as (0,4)</p> <p>C1 for Yes and states the intersection point as (0,4)</p>

1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
20.	$\frac{\sin A}{36} = \frac{\sin 48}{57}$ $A = \sin^{-1} \left( \frac{\sin 48}{57} \times 36 \right) \text{ or}$ <p>A in range 27.9 – 28</p> $\frac{1}{2} \times 57 \times$ $36 \sin (180 - 48 - "28")$ <p>(= 995.49...)</p>		4	<p>M1 or <math>\frac{36}{\sin A} = \frac{57}{\sin 48}</math></p> <p>M1 dep</p> <p>M1 dep on the first M1</p> <p>A1</p> <p>or <math>\frac{1}{2} \times 57 \times 36 \sin (48)</math> with AC in range 74 – 74.5</p> <p>or AC from a correct method</p>

1MA1 Practice papers Set 2: Paper 3H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
21.	(a) $l^2 = 12^2 + 4^2$ $\pi \times 4 \times \sqrt{(12^2 - 4^2)}$ or $\pi \times 4 \times \sqrt{160}$ $\pi \times 4 \times 12.6(4911\dots)$ or $50.56\pi$ or $\frac{1264}{25}\pi$ (b) $\frac{12-h}{r} = \frac{12}{4}$ or $4(12-h) = 12r$ or $\frac{h}{12} = \frac{4-r}{4}$ or $4:12 = r : 12-h$	159	3	M1 for $l^2 = 12^2 + 4^2$ M1 for a correct expression of the curved surface area A1 (accept in range 158 – 159)
		$V =$ $12\pi r^2 - 3\pi r^3$	3	M1
			A1	M1 $h = 3r$ cso

National performance data from Results Plus

Qu No	Source of questions				Topic	Max score	Mean % all	Mean score of students achieving grade:						
	Spec	Paper	Session	Qu				ALL	A*	A	B	C	D	E
1	1MA0	2H	1511	Q14	Percentages	5	14	0.69	3.66	2.79	1.91	0.84	0.38	0.13
2	5AM2	2F	1211	Q22	Probability	3	28	0.83				1.66	0.78	0.36
3				NEW	Algebraic proof	1		No data available						
4	4MA0(R)	1F	1501	Q19	Fractions	3	53	1.59				2.09	1.46	0.00
5				NEW	Rearranging equations	3		No data available						
6	5AM2	2H	1411	Q12	Solve inequalities	5	66	3.30	5.00	4.50	4.25	2.71	1.79	0.00
7	5AM1	1H	1506	Q12	Compound interest	5	59	2.96	4.60	3.72	3.04	1.99	0.85	0.43
8	1MA0	2H	1311	Q08	Number sequences	4	58	2.30	3.84	3.46	2.87	2.03	1.28	0.82
9	4MA0	1H	1601	Q13	Mean, median, mode	5	39	1.94	3.47	2.03	1.21	0.74	0.41	0.24
10	5MM2	2H	1406	Q26	Solve quadratic equations	6	42	2.54	5.73	4.65	2.27	0.63	0.12	0.03
11	5AM2	2H	1211	Q20	Pythagoras in 3D	4	36	1.42	3.80	2.89	1.68	0.61	0.02	0.00
12	1380	2H	1106	Q19	Standard form	3	31	0.94	2.66	1.72	0.75	0.23	0.06	0.03
13	5AM2	2H	1506	Q19	Direct and indirect proportion	4	31	1.25	3.19	2.13	0.82	0.11	0.02	0.00
14	4MA0	1H	1601	Q17b	Circle theorems	3	37	1.12	2.22	1.21	0.57	0.17	0.04	0.03
15	1MA0	2H	1311	Q27	Histograms and grouped frequency	3	23	0.68	2.42	1.75	0.90	0.21	0.06	0.05
16	4MA0	2H	1405	Q24	Solve linear equations	3	18	0.55	1.08	0.30	0.13	0.05	0.02	0.01
17	1MA0	2H	1206	Q26	Vectors	4	18	0.73	3.16	1.62	0.57	0.12	0.02	0.01
18	2540	2H	806	Q25	Graphs of exponential functions	3	12	0.36	1.81	0.57	0.10	0.03	0.01	0.02
19	1MA0	2H	1311	Q25	Gradients	3	10	0.29	1.86	0.83	0.21	0.02	0.00	0.00
20	4MA0	1H	1601	Q20	Sine and cosine rule	4	43	1.73	3.42	2.20	0.70	0.10	0.01	0.00
21	4MA0(R)	1H	1601	Q15ab	Volume and surface area	6	64	2.90	3.81	2.43	1.75	1.17	0.14	0.60
						<b>80</b>								